



PPE Catalogue



NEW TREND
SAFETY CO.



WORKWEAR

GENERAL
FREEZER/THERMAL
HIGH VISIBILITY
RAINWEAR
CHEMICAL RESISTANCE
BRANDING
INDUSTRIAL DISPOSABLE

HEAD PROTECTION

HARD HATS
ADDITIONS
CHIN STRAPS
BRANDING

FACE PROTECTION

VISORS
VISOR ATTACHMENTS
WELDING
SAND BLASTING

EYE PROTECTION

GOGGLES
SPECTACLES

HEARING PROTECTION

EARPLUGS
EARMUFFS

HAND PROTECTION

LEATHER GLOVES
PVC GLOVES
CUT RESISTANT GLOVES (COATED)
GENERAL COATED GLOVES

RESPIRATORY PROTECTION

SINGLE USE PARTICLE FILTRATION MASK
REUSABLE MASKS AND CARTRIDGES


FALL PROTECTION

BASIC HARNESSSES
SPECIALIZED HARNESSSES
ATTACHMENTS

PATIENT CARE

FIRST AID KITS

SAFETY SIGNS





ACID FLAME D59 SABS APPROVED JACKET AND TROUSERS

- **TRIPLE STITCHED**
- **SABS YKK BRASS ZIP**
- **FLAME ACID EMBROIDERY**
- **FLAME RETARDANT TAPE ON BOTH ARMS**

J54 (100% COTTON)

- **TRIPLE STITCHED**
- **YKK ZIP**



65:35 ACID RESISTANT CONTI SUIT

- **POLY/VISCOSE**
- **SHOULDER SEAM TRIPLE STITCHED**
- **SLEEVE SEAM TRIPLE STITCHED LOWER FRONT POCKETS WITH METERED CORNERS & DOUBLE NEEDLE TOP STITCHING**
- **CONCEALED YKK SILVER ROYAL BLUE OPEN END ZIP**



SUPERIOR CONTI SUIT

- COMFORT CUT
- HEAVY PREMIUM 80/20 FABRIC COMPOSITION
- CONCEALED YKK ZIPPER PLACKET; S/N TOPSTITCH W/BAR TACK



STANDARD CONTI SUIT

- STANDARD CUT CUT
- 80/20 POLY COTTON
- CONCEALED YKK ZIPPER PLACKET; S/N TOPSTITCH W/BAR TACK



65:35 POLYCOTTON CONTI SUIT

- TRIPLE STITCHED
- YKK ZIP





65:35 POLYCOTTON CONTI SUIT

- **TRIPLE STITCHED**
- **YKK ZIP**

PREMIUM DENIM SUIT

- **CHEST WAIST SIZE LABEL
PRODUCTION TAG & HANGER
LOOP**
- **SHOULDER SEAM IS TRIPLE
STITCHED**
- **CONCEALED YKK 40CM
METAL OPEN END ZIP
CLOSURE**



WORKWEAR JEANS

- **12OZ INDUSTRIAL WASH DENIM 3.5 CM
RIGID WAISTBAND; CONSISTS OF 5
BELT LOOPS, EDGE STITCH ALL
AROUND, ORDINARY BUTTON HOLE
AND METAL SHANK BUTTON CLOSURE.**
- **METAL ZIPPER CENTER FRONT
OPENING; D/N FORM FLY, S/N EDGE
STITCH AT UPPER FRONT RISE, D/N
TOPSTITCH AT LOWER FRONT RISE W/
SECURED BARTACKS.**



DOUBLED -LINED FREEZER SUIT

- YKK ZIPPER OPENING, 7MM TOPSTITCH
- DOUBLE LINED
- 250G PADDING
- FLEECE LINING/TWILL LINING

SINGLE -LINED FREEZER SUIT

- YKK ZIPPER OPENING, 7MM TOPSTITCH
- SINGLE FULLY LINED

TWO-TONE THERMAL JACKET

105G PONGEE LINING

50MM SILVER REFLECTIVE TAPE

2 EXTRA LARGE OUTER POCKETS

PLACKET WITH HEAVY DUTY PRESS STUDS

CONCEALED ZIP

CONCEALED HOOD

FOR USE IN HIGH RISK AREAS

REQUIRING VISIBILITY DAY & NIGHT

RATED FOR - 5°





BIBS

- ORANGE MESH
- LIME MESH
- ORANGE SOLID
- LIME SOLID

WAIST COATS

- ORANGE SOLID WITH ID POCKET
- LIME SOLID WITH ID POCKET



JACKET

- MESH TWO TONE WITH ZIP OFF SLEEVES
- SOLID TWO TONE WITH ZIP OFF SLEEVES



Rubberized rain suits

- **Plain Navy Blue**
- **Plain yellow**
- **Navy Blue with reflective**
- **Yellow with reflective**
- **Lime with reflective**

**ALL PVC SUITS ARE MANUFACTURED WITH:
400GSM PVC
AVAILABLE IN WHITE OR YELLOW
DOUBLE ARMS AND LEGS IN CLOSING
VELCRO FLAP CLOSURE
ALL SEAMS WELDED**



**HOOD HD PVC
1MM CLEAR POLYCARB
LENS**

**IN HOUSE
BRANDING/PRINT
AVAILABLE ON
REQUEST**

**TWO PIECE HD PVC
CHEMICAL SUIT**



**ONE PIECE HD PVC
CHEMICAL SUIT**

MEM GROUP OFFERS IN HOUSE BRANDING SOLUTIONS ON GARMENTS, BAGS, HATS ETC.

**EMBROIDERY
SCREEN PRINTING
HEAT TRANSFER**



DISOPSABLE OVERALL OPTIONS

- **DISPOSABLE OVERALL
ZIP+HOOD NON WOVEN
WHITE 50GSM WATER
REPELLENT**
- **DISPOSABLE OVERALL
TYPE5/6 EN1149 , EN13034 ,
EN ISO13982-1**
- **DISPOSABLE OVERALL
TYPE4/5/6 EN1149, EN13034,
EN ISO13982-1**

Head Protection

HARD HATS



Industrial peaked Hard Hats complete with 6-point lining, SABS approved, SANS 1397 mark DME certified. Available in white, royal blue, yellow, orange, red, green, sky blue, grey, bright pink, sun yellow, navy blue, lime, lemon hi viz, black, purple, maroon and brown

Industrial full brim safety hats complete with 6-point lining, SABS approved, SANS 1397 mark DME certified. Available in white, royal blue, yellow, orange, red, green and grey



ADDITIONS



INDUSTRIAL SHORT BRIM SAFETY CAPS COMPLETE WITH 6-POINT LINING, SABS APPROVED, SANS 1397 MARK DME CERTIFIED. AVAILABLE IN WHITE, BLUE, RED, ORANGE, YELLOW, GREEN, GREY AND PINK

SHORT PEAK BUMP CAPS. 100% ACRYLIC OUTER CAP COMPLETE WITH LOW IMPACT POLYPROPYLENE INNER BUMPER WITH FOAM CUSHION. AVAILABLE IN BLACK, NAVY BLUE AND ROYAL BLUE.



SUN BRIM WITH NECK FLAP TO FIT SAFETY CAPS AND HATS (VARIOUS COLOURS AVAILABLE)

LAMP BRACKETS

PLASTIC AND METAL LAMP BRACKET WITH CABLE CLIPS.



LININGS

6 POINT REPLACEMENT LINING WITH SWEAT BAND

AVAILABLE IN STANDARD CLIP IN OR WEBBING RATCHET OPTIONS



CHIN STRAPS

CHIN STRAPS

SABS APPROVED

- 2 POINT CHIN STRAP WITH SELF RELEASING CLIPS,
- 3 POINT CHIN STRAP WITH QUICK RELEASE BUCKLE AND 2 ADJUSTABLE SLIDES
- CHIN CUPS AVAILABLE FOR BOTH OPTIONS



MEM GROUP OFFERS FULL IN-HOUSE BRANDING SOLUTIONS. 5 COLOUR PAD PRINTING, VINYL STICKERS, REFLECTIVE STICKERS AND DECALS (FRONT, BACK, LEFT & RIGHT).



BROW GUARD AND HEADGEAR WITH 1MM CLEAR POLY CARB LENS (EN166)



**STEEL GAUZE LENS
WITH BLUE PVC EDGE TRIM**



**1MM CLEAR POLY CARB
LENS WITH BLUE PVC
EDGE TRIM**



Face Protection

VISOR ATTACHMENTS



**BROW GUARD AND
HEADGEAR**

**CHIN GUARD (AVAILABLE
WITH ALL ATTACHMENT
OPTIONS)**

**CLIP ON CAP/HAT BROW
GUARD ATTACHMENT**



**SHORT AND LONG
ALUMINIUM CAP/HAT
ATTACHMENT FACE
SHIELD HOLDERS**



Face Protection

WELDING

FLIP FRONT WELDING HELMET
HARD HAT ATTACHMENT OPTION
AVAILABLE



OPTI-VIEW AUTO
DARKENING WELDING
HELMET
ADJUSTIBLE AND NON-
ADJUSTIBLE OPTIONS AVAILABLE



SANDBLASTING HOOD/FACE SHIELDS

CLEARER VISION

BLASTING HELMET HAS A LARGE WRAP AROUND DOUBLE LENS WHICH ALLOWS FOR A WIDE FIELD OF VISION WITHOUT ANY DISTORTING SIDE GLARE.

BREATHE EASILY

THE BLASTING HELMETS AIR DUST DISTRIBUTION DIFFUSES THE AIR EVENLY THROUGHOUT THE HELMET AND COOLS THE FACE AND HEAD, AND HELPS PREVENT THE LENS FROM FOGGING.

PROTECTION

THE BLASTING HELMETS INNER LENS PROVIDES IMPACT PROTECTION FOR THE WEARER. THE HELMET ALSO FEATURES A 28" NYLON CAPE FOR PROTECTION FROM REBOUNDED BLASTING MATERIALS



Eye Protection

GOGGLES



**DIRECT SAFETY GOGGLE
ANTI-SCRATCH,ANTI-FOG**

**IN-DIRECT SAFETY GOGGLE
ANTI-SCRATCH,ANTI-FOG**



**GAS WELDING GOGGLE
FLIPFRONT ROUND
LENSES**

***FLIPFRONT GOGGLE SQUARE
LENSES 108 x 51 AVAILABLE ON
REQUEST**

**MAXI VIEW GOGGLE ANTI
SCRATCH, ANTI FOG**



Eye Protection

SPECTACLES

SPECTACLES EN166-F ANSI Z87.1



WRAPROUND SPECTACLE SERIES

CLEAR ANTI-SCRATCH

(ANTI FOG OPTION AVAILABLE)

GREEN ANTI-SCRATCH

AMBER ANTI-SCRATCH

BROWN ANTI-SCRATCH

EURO SPECTACLE SERIES

CLEAR ANTI-SCRATCH

(ANTI FOG OPTION AVAILABLE)

GREEN ANTI-SCRATCH

AMBER ANTI-SCRATCH

GREY ANTI-SCRATCH



SPORTY SPECTACLE SERIES

CLEAR ANTI-SCRATCH

(ANTI FOG OPTION AVAILABLE)

GREEN ANTI-SCRATCH

AMBER ANTI-SCRATCH

GREY ANTI-SCRATCH



Ear protection

EAR PLUGS



**RESUABLE EARPLUG ORANG
CORDED INDIVIDUAL PACK
100 PER BOX**

**PU FOAMED DISPOSABLE
ORANGE UNCORDED
INDIVIDUAL PACK 200 PER
BOX**



**PU FOAMED DISPOSABLE
ORANGE CORDED INDIVIDUAL
PACK 100 PER BOX**

Hearing protection

EAR MUFFS

**SONIC EAR DEFENDER
(SNR 32DB)**

***AVAILABLE IN NECK BAND
ATTACHMENT OPTION**



BUDGET BLUE EAR MUFF




**ECONO RED UNIVERSAL EAR
MUFF**



Hand protection

LEATHER



CANDY STRIPE RIGGER (REINFORCED)

- 2.5" CHROME LEATHER DOUBLE PALM
- 8" CHROME LEATHER DOUBLE PALM
- 2.5" CHROME LEATHER APRON PALM
- 8" CHROME LEATHER APRON PALM



**CANDY STRIPE CHROME LEATHER,
ONE PIECE PALM**

Hand protection

LEATHER



- 2.5" GREEN LINED WRIST LENGTH WITH REINFORCED PALM
- 8" GREEN LINED ELBOW LENGTH WITH REINFORCED PALM



- 2.5" GREEN LINED WRIST LENGTH
- 8" GREEN LINED ELBOW LENGTH
- 16" GREEN LINED ELBOW LENGTH



- TIG VIP GRAIN PIG SKIN
- TIG VIP GRAIN PIG SKIN WITH EXTEND CUFF 35CM
- TIG VIP GRAIN GOAT SKIN
- TIG VIP GRAIN GOAT SKIN WITH EXTEND CUFF 35CM

Hand protection

LEATHER

- 2" RED HEAT RESIST GLOVE ELBOW - KEVLAR
- 8" RED HEAT RESIST GLOVE ELBOW - KEVLAR
- 16" RED HEAT RESIST GLOVE ELBOW - KEVLAR



**8" BLUE LINED - PREMIUM DOUBLE PALM
ELBOW KEVLAR STITCH**

- 2.5" BLUE LINED -PREMIUM WELDER GLOVE
- 6" BLUE LINED -PREMIUM WELDER GLOVE



Hand protection

PVC

- RED PVC KNIT WRIST STD
- RED PVC 27cm OPEN CUFF
- RED PVC 35cm OPEN CUFF
- RED PVC 40cm OPEN CUFF
- RED PVC 60cm OPEN CUFF

YELLOW EXTENTION

***ALL OPTIONS AVAILIBLE WITH
TERRY PALM**

- HD GREEN PVC KNIT WRIST STD
- HD GREEN PVC 27cm OPEN CUFF
- HD GREEN PVC 35cm OPEN CUFF

Hand protection

CUT RESISTANT

**CUT MASTER PLUS GLOVE CUT LV5,
CRINKLE LATEX PALM**



CUT MASTER STANDARD RANGE

- **CHALLENGER CUT LV5, LEATHER PALM**
- **PURALITE CUT LV5 ,PU PALM**
- **NITROX PRO CUT LV5 KNUCKLE FLAT NITRILE PALM 3/4 DIPPED**
- **GRIPA CUT LV5 , CRINKLE LATEX PALM**
- **ALEX CUT LV5, KNUCKLE FLAT NITRILE PALM**
- **NITRI-GRIPA CUT LV 5 FULLY DIPPED**

Hand protection

GENERAL COATED



FLEX SNUG-PLUZ GLOVE



FLEX OILGRIPA GLOVE



**ECONO CUT RESIST GLOVE GREY PU PALM
CUT LV 3**



FLEX DURA-WAK GLOVE

Respiratory Protection

SINGLE USE

**VARIOUS SINGLE
USE PARTICLE
FILTRATION MASKS**

**FFP1
FFP2
FFP2 VALVED
FFP3 VALVED**

SANS 50149:2003

Respiratory Protection

REUSABLE



Type A1

organic gases and vapours

Activated carbon gas filter of Class A1 for the filtering of organic vapours and gases (solvents) to the efficiency required by EN 141.



Type B1

inorganic gases and vapours

Integrated activated carbon gas filter of Class B1 for the filtering of inorganic vapours and gases to the efficiency required by EN 141.



Type A1P2

organic gases, vapours and particles

The combination of particle filter type P2 and of activated carbon gas filter of Class A1 for the filtering of organic vapours, gases (solvents) and particles to the efficiency required by EN 141 & EN 143.



Type B1P2

inorganic gases, vapours and particles

The combination of particle filter type P2 and of integrated activated carbon gas filter of Class B1 for the filtering of inorganic vapours, gases and particles to the efficiency required by EN 141 & EN 143.



P2-HE

solid and liquid particles

Particle filter of Class P2 for the protection against solid particulate matter of harmful substances to the efficiency required by EN 143.




Type P2

solid and liquid particles

Particle filter of Class P2 for the protection against solid particulate matter of harmful substances to the efficiency required by EN 143.

Code Colour	Filter Type	Main Application
-------------	-------------	------------------

	A	VAPOURS OF ORGANIC COMPOUNDS with a boiling point of >65°C
	B	INORGANIC GASES AND VAPOURS e.g. chlorine, hydrogen sulphide, hydrogen cyanide
	P	PARTICLE MATTER



STORAGE

The filters should be stored away from contaminated areas as well as direct sunlight. Filters can be stored before use for 5 years from the date of manufacture (date appears on the housing of each filter).

USE

The filter is suitable for use on half masks with M2 classification for use with single and/or double cartridge respirators.

EFFECTIVE LIVE

The lifespan of a filter is dependent on the level of contamination and the rate of breathing of the user.

These filters are manufactured according to ISO 9000 (Model for quality assurance in production and installation).

APPROVALS

SABS • Menpower • GME • CE

DISPOSAL

Filters should be disposed of in sealed bags to contain the toxic material filtered out by the filter; or may be incinerated.

WARNING:

These filters are not for use in dusts, fumes, enclosed spaces, or in oxygen deficient atmosphere.



SANS 50361:2003 Full body harnesses,
SANS 50355:2003 Energy absorbers,
SANS 50354:2003 Lanyards

APPLICATION: FALL ARREST
ATTACHMENT: DORSAL POSITION (FOR FALL ARREST)
FEATURES: EASY TO FIT HARNESS
LIGHTWEIGHT
LANYARD SET DOUBLE LEG LANYARD WITH SCAFFOLD HOOKS ENERGY ABSORBING ELEMENT 1.75M LONG (INCLUDING ENERGY ABSORBER)
ADJUSTMENT: LEG STRAPS (STANDARD BUCKLES) CHEST STRAP (25MM DEE RINGS)
SIZING: SMALL, MEDIUM, LARGE, XL AND 2XL

APPLICATION: FALL ARREST
ATTACHMENT: DORSAL POSITION (FOR FALL ARREST)
FEATURES: EASY TO FIT HARNESS
LIGHTWEIGHT
LANYARD SET DOUBLE LEG LANYARD WITH SCAFFOLD HOOKS ENERGY ABSORBING ELEMENT 1.75M LONG (INCLUDING ENERGY ABSORBER)
ADJUSTMENT: LEG STRAPS (STANDARD BUCKLES) CHEST STRAP (25MM DEE RINGS)
WAIST BELT (STANDARD BUCKLE)
SIZING: SMALL, MEDIUM, LARGE, XL AND 2XL



MEM Basic Harness



MEM Belted Harness

Options Harness Step can be fitted (not supplied standard)



SANS 50361:2003 Full body harnesses,
SANS 50355:2003 Energy absorbers,
SANS 50354:2003 Lanyards

APPLICATION: FALL ARREST

ATTACHMENT: DORSAL POSITION (FOR FALL ARREST)

FEATURES: EASY TO FIT LIGHTWEIGHT PADDED DORSAL ATTACHMENT POINT PADDED WAIST BELT AND LEG STRAPS

ADJUSTMENT: LEG STRAPS (STANDARD BUCKLES) SHOULDER STRAPS (STANDARD BUCKLES) CHEST STRAP (STANDARD BUCKLE)

SIZING: SMALL, MEDIUM, LARGE, XL AND 2XL



MEM Performance
Harness

APPLICATION: FALL ARREST

ATTACHMENT: DORSAL POSITION (FOR FALL ARREST)

FEATURES: PADDED BELT CAP LAMP STRAPS (MINING) PADDED LEG STRAPS

ADJUSTMENT: LEG STRAPS (STANDARD BUCKLES) SHOULDER STRAPS (STANDARD BUCKLES) WAIST BELT AND CHEST STRAP (STANDARD BUCKLES)

SIZING: SMALL, MEDIUM, LARGE, XL AND 2XL



MEM Mining Harness

APPLICATION: FALL ARREST AND WORK POSITIONING

ATTACHMENT: DORSAL POSITION (FALL ARREST) FRONTAL CHEST (PARTIAL FALL ARREST) ON WAIST BELT (WORK POSITIONING)

FEATURES FLAME RETARDANT AND ANTI-STATIC WEBBING

ADJUSTMENT: LEG STRAPS AND SHOULDER STRAPS (STANDARD BUCKLES) CARABINER CONNECTOR IN FRONT (EASY FITMENT) WAIST BELT (QUICK RELEASE BUCKLE)



MEM Power Lines
Harness



SANS 50361:2003 Full body harnesses,
SANS 50355:2003 Energy absorbers,
SANS 50354:2003 Lanyards

Application: Fall arrest Hooks Two scaffold hooks
Features Energy absorbing element Double leg 45mm webbing lanyards
Sizing 1.75m long (including energy absorber) Custom length between 1m and 2m
Connectors Carabiner (as standard) Alternatively snap hook or quick link connector



MEM Lanyard SC2

Application: Work Positioning Lanyard
Connectors: Carabiner (as standard) and snap hook snap hook
(complete with HD PVC protector)



MEM Positioning Lanyard

Climbing slings 150cm (x2)
For easy attachment to fixed structures



MEM Climbing sling

DISPOSABLE WEAR

COVERALLS

- DURA SPUNBOND - 50GSM SPUNBOND, ELASTIC OPENINGS, ZIP CLOSURE
- ULTRA DURA SPUNBOND - 80GSM SPUNBOND, ELASTIC OPENINGS, ZIP CLOSURE
- PREMIUM COATED - 50GSM PE COATED (FOR SUPERIOR LIQUID AND PARTICLE PENETRATION RESISTANCE)
- REUSABLE LIQUID PENETRATION RESISTANT COVERALL - PLEASE ENQUIRE FOR MORE INFORMATION

0.4MM PET LENS 300MM X 220MM, 25MM X 30MM CLOSED CELL FOAM SWEAT BAND, 25MM ELASTIC HEADBAND



GOWNS

- PREMIUM SPUNBOND - 50GSM PE COATED (FOR SUPERIOR LIQUID AND PARTICLE PENETRATION RESISTANCE)
- REINFORCED PREMIUM SPUNBOND - 50GSM PE COATED (FOR SUPERIOR LIQUID AND PARTICLE PENETRATION RESISTANCE); SLEEVES AND FRONT REINFORCED



SCRUBS

- GP SPUNBOND - 50GSM SPUNBOND, ELASTIC OPENINGS, ZIP CLOSURE



SUPPLEMENTARY PRODUCTS:

NITRILE GLOVES - BLUE

OVERSHOES - 30GSM SPUNBOND AVAILABLE IN WHITE & BLUE

SLEEVES - 50GSM SPUNBOND AVAILABLE IN WHITE & BLUE

APRONS - 50GSM PU COATED (FOR SUPERIOR LIQUID AND PARTICLE PENETRATION RESISTANCE)

RESPIRATORY PROTECTION - PLEASE ENQUIRE FROM SALES TEAM

Customized kits and in house branding available

REGULATION 3 FIRST AID KIT



CONTENTS

1 X CLEANSING SOLUTION 100ML
1 X GAUZE SWABS - 100'S
2 X STERILE GAUZE 5'S
1 X FORCEPS
1 X BANDAGE SCISSORS
1 X SAFETY PINS 12"
4 X TRIANGULAR BANDAGES NON-WOVEN
4 X CONFORMING BANDAGES 75MM
4 X CONFORMING BANDAGES 100MM
1 X PLASTER ROLL 25MM X 3M
1 X PAPER TAPE 25MM X 3M
1 X PLASTER ASSORTED 20'S
4 X FIRST AID DRESSING NO 3
4 X FIRST AID DRESSING NO 5
2 X STRAIGHT SPLINTS INTERLOCKING
4 X LATEX GLOVES (2 X MED ; 2 X LGE)
2 X CPR MOUTH PIECES
1 X COTTON WOOL

MOTORIST FIRST AID KIT

CONTENTS

1 X EYE PAD
1 X CLEANSING SOLUTION 100ML
2 X GAUZE SWABS 5'S
1 X PLASTIC FORCEPS
1 X SCISSORS
1 X SAFETY PINS 12'S
2 X TRIANGULAR BANDAGES
4 X CONFORMING BANDAGES 75MM X 5,4M
4 X CONFORMING BANDAGES 100MM X 4.5M
1 X PLASTER ROLL 3M X 25MM
2 X PAIRS LATEX GLOVES
4 X FIRST AID DRESSING NO 3
4 X FIRST AID DRESSING NO 5
1 X PLASTERS ASSORTED 5'S
2 X CPR MOUTH PIECES
2 X SET GREEN PLASTIC SPLINTS

REGULATION 7 FIRST AID KIT

REGULATION 3 CONTENTS +
ABSORBENT GRANUALS 40G
EUSOL DISINFECTANT 50ML
BIOCIDE 6G
RUBBER GLOVES
2XM
2XL
IMPERVIOUS BAG



SIZES AVAILABLE: 190 X 190 / 290 X 290



SIZES AVAILABLE: 190 X 190 / 290 X 290





info@newtrendsafety.co.za

076 980 9903